

| Pit Name | Approximate Latitude | Approximate Longitude | Short Description | Material | Permitting Office |
|------------------------------------|----------------------|-----------------------|---|--|---|
| Alton | 37.37609745 | -112.4616268 | Clinkers can be collected at Alton. | Clinker | Permitting Office: BLM - Kanab (435) 644-4600 |
| Antelope Mountain & Antelope Point | 38.62658623 | -112.8197819 | Quartzite flagstone, volcanic boulders & cinders can be collected. | Antelope Mountain: quartzite flagstone; Antelope Point: volcanic boulders, cinders | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Basin Creek | 39.88136883 | -113.7789914 | Although listed as "granite", most of the stones at Basin Creek are various colors and stripes of beach and stream-rounded quartzite. | Quartzite boulders ("granite") | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Bear Valley | 37.97390724 | -112.5281741 | Green flagstone is found at the Bear Valley community pit. | Green flagstone | Permitting Office: BLM - Cedar City (435) 865-3000 |
| Bitter Seeps | 36.8095 | -112.6577 | Red flagstone is found at the Bitter Seeps community pit. | Flagstone, Moenkopi Fm | Permitting Office: BLM - Kanab (435) 644-4600 |
| Buck Canyon | 39.72678356 | -109.5360976 | Green River Formation float stone is found at Buck Canyon. | Float stone on surface, Green River Fm | Permitting Office: BLM - Vernal (435) 781-4400 |
| Capitol Reef | 38.276 | -111.3681 | Red sandstone slabs can be collected at Capitol Reef community pit. | Red sandstone, Moenkopi Formation | Permitting Office: BLM - Richfield (435) 896-1500 or BLM - Henry Mtn (435) 542-3461 |
| Cedar Canyon | 37.66699393 | -112.9989939 | Shale is collected at the Cedar Canyon community pit. | Shale | Permitting Office: BLM - Cedar City (435) 865-3000 |
| Gunnison | 39.19487778 | -111.7722944 | Some of the limestone rocks found here are fossiliferous and can contain nodules of chert. | Limestone | Permitting Office: BLM - Richfield (435) 896-1500 |

| Pit Name | Approximate Latitude | Approximate Longitude | Short Description | Material | Permitting Office |
|---------------------|----------------------|-----------------------|--|----------------------------------|--|
| Lakeview Reservoir | 38.69522968 | -113.2162485 | Flat, thin, roof shingle-sized caramel brown quartzite stones with adark patina are abundant here. | Flagstone - quartzite | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Lava Ridge | 38.78475977 | -112.6893664 | Two million-year-old, large, dark basalt boulders are found at Lava Ridge. | Volcanic boulders | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Marjum Pass | 39.2942 | -113.308 | Brown, gray, and black colored shales are abundant at this location. | Shale | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Muskrat Station | 40.64447729 | -112.6858392 | Large boulders mainly of quartzite, and lesser amounts of limestone and basalt are found here. | Quartzite and limestone boulders | Permitting Office: BLM - Salt Lake (801) 977-4300 |
| Old Woman Wash | 38.66846323 | -110.5134657 | Red sandstone is found at Old Woman Wash. | Red sandstone | Permitting Office: BLM - Price/San Rafael (435) 636-3600 |
| Red Canyon | 37.74365278 | -112.3328778 | Volcanic boulders are found at Red Canyon. | Volcanic boulders, rip rap | Permitting Office: BLM - Kanab (435) 644-4600 |
| Red Canyon/Red Wash | 38.90001758 | -113.2795024 | Red "lace rock" or rhyolite aquarium rock can be collected here. | Red lace rock | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Red Seeps | 39.19104677 | -110.8600062 | Pock-marked rock is collected at Red Seeps. | Pock-marked rock | Permitting Office: BLM - Price/San Rafael (435) 636-3600 |
| Red's Canyon | 38.71537026 | -110.9633145 | Red sandstone is found at Red's Canyon. | Red sandstone | Permitting Office: BLM - Price/San Rafael (435) 636-3600 |

| Pit Name | Approximate Latitude | Approximate Longitude | Short Description | Material | Permitting Office |
|------------------------------|----------------------|-----------------------|---|--|--|
| Rosebud | 41.581733 | -113.641114 | Light-greenish-gray quartzite ashlar with sparkly mica shimmer; hard and durable. | Greenish-gray quartzite flagstone and blocks | Permitting Office: BLM - Salt Lake (801) 977-4300 |
| Rush Lake | 37.84790412 | -113.0068176 | Red cinder is found at Rush Lake. | Red cinder | Permitting Office: BLM - Cedar City (435) 865-3000 |
| San Rafael River | 39.0601226 | -110.6302487 | A variety of reddish sandstone, including ripple rock, is found here. | Red sandstone | Permitting Office: BLM - Price/San Rafael (435) 636-3600 |
| School Bus Corral | 38.66249724 | -113.2324647 | Iron coated cobbles with partial calcium carbonate rinds are found here. | Iron-coated cobbles | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Shinarump Pit | 37.05276504 | -112.2289551 | Sandstone and conglomerate boulders are found at the Shinarump Pit. | Sandstone and conglomerate boulders | Permitting Office: BLM - Kanab (435) 644-4600 |
| South of Hurricane Rock Area | 37.0333909 | -113.3040267 | Red sandstone boulders are found at the rock area south of Hurricane. | Red sandstone landscape boulders | Permitting Office: BLM - St. George (435) 688-3246 |
| Stansbury Island 28 | 40.800225 | -112.5208444 | Quartzite boulders are found at Stansbury Island. | Quartzite boulders | Permitting Office: BLM - Salt Lake (801) 977-4300 |
| Sulphurdale | 38.54636155 | -112.6622964 | Red and black cinder can be collected from the Sulphurdale community pit. | Red cinder and black cinder | Permitting Office: BLM - Cedar City (435) 865-3000 |

| Pit Name | Approximate Latitude | Approximate Longitude | Short Description | Material | Permitting Office |
|---------------------------|----------------------|-----------------------|---|---------------------------|--|
| The Cinders | 39.0301068 | -112.5114588 | Vesicular (bubbly) basalt lava rock found at The Cinders is very young and has high glass content compared to other basalts of the Black Rock Desert. | Lava rock (basalt) | Permitting Office: BLM - Fillmore (435) 743-3100 |
| The Honeycombs | 39.70875162 | -113.5729144 | The Honeycombs lace rock is popular with aquarium enthusiasts and as specimen pieces in landscaping. | Gray lace rock | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Topaz Mountain | 39.69601618 | -113.1453973 | Gray lace rock boulders and aquarium rock can be found at Topaz Mountain. | Gray lace rock | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Topaz Pit | 39.4519116 | -112.8133908 | Landscape boulders can be collected at the Topaz Pit. | Landscape boulders | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Topaz/Drum/Smelter Knolls | 39.83033975 | -112.9873994 | Most of the rhyolite rock is light gray incolor, but darker shades can be readily found. | Gray lace rock (rhyolite) | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Virgin | 37.1865 | -113.2273 | Hard limey flagstone is found at the Virgin pit. | Hard limey flagstone | Permitting Office: BLM - St. George (435) 688-3246 |

| Pit Name | Approximate Latitude | Approximate Longitude | Short Description | Material | Permitting Office |
|----------------------|----------------------|-----------------------|--|--|--|
| West Mountain | 40.11961114 | -111.8149511 | Quartzite ashlar blocks and boulders can be collected at West Mountain. | Quartzite ashlar and boulders | Permitting Office: BLM - Salt Lake (801) 977-4300 |
| West Wrinkles | 39.85351448 | -110.2245786 | Although there are many sizes and shapes of rocks, they tend to be flattish and thin with a white to cream to tan-rusty brown color. | Float stone on surface, Green River Fm | Permitting Office: BLM - Vernal (435) 781-4400 |
| Wheeler Amphitheater | 39.34734021 | -113.2744106 | Wheeler Formation shale is found at the Wheeler Amphitheater. | Carbonaceous shale, Wheeler Fm | Permitting Office: BLM - Fillmore (435) 743-3100 |
| Willow Springs | 38.73700702 | -111.1946732 | Basalt boulders are found at Willow Springs. | Basalt boulders | Permitting Office: BLM - Price/San Rafael (435) 636-3600 |

| Pit Name | Cost | 7.5 Topo Map & Section | Photo Website |
|------------------------------------|---|---|---|
| Alton | Cost: \$8/ton, \$10 minimum | Alton S 31, T39S, R5W | |
| Antelope Mountain & Antelope Point | Cost: Antelope Mountain: \$21/ton, Antelope Point: \$1.00/ton | Pinnacle Pass & Antelope Spring S 24, T25S, R9W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/antelope_mt.htm |
| Basin Creek | Cost: \$4.00/ton | Goshute Canyon S 8&9, T11S, R17W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/basin_creek.htm |
| Bear Valley | Cost: \$12.50/ton, \$10 min. | Little Creek Peak S 34, T32S, R6W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/bearvalley.htm |
| Bitter Seeps | Cost: \$8/ton, \$10 minimum | Pipe Spring (Arizona) S 6, T39N, R3W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/bitterseeps.htm |
| Buck Canyon | Cost: \$13/ton | Agency Draw NE S 35, T12S, R21E | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/buckcanyon.htm |
| Capitol Reef | Cost: \$4 reclamation fee, \$8.36/ton | Torrey S 17, T29S, R5E | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/capitolreef.htm |
| Cedar Canyon | Cost: \$1.82/ton, \$10.80 minimum | Cedar City S 17, T36S, R10W | |
| Gunnison | Cost: \$10/ton | Gunnison S 35, T18S, R1E | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/gunnison.htm |

| Pit Name | Cost | 7.5 Topo Map & Section | Photo Website |
|---------------------|---|-----------------------------------|---|
| Lakeview Reservoir | Cost: \$10/ton | Iron Mine Pass S 29, T24S, R12W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/lakeviewres.htm |
| Lava Ridge | Cost: \$10/ton | Black Point S 19&30, T23S, R7W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/lava_ridge.htm |
| Marjum Pass | Cost: \$13/ton | Marjum Pass S 27, T17S, R13W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/marjumpass.htm |
| Muskrat Station | Cost:\$15/ton | Timpie S13, T2S, R8W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/muskratstation.htm |
| Old Woman Wash | Cost: \$5.57/ton, \$10 minimum | Old Woman Wash S 5, T25S, R13E | |
| Red Canyon | Cost: \$8/ton, \$10 minimum | Wilson Peak S 21, T35S, R41/2W | |
| Red Canyon/Red Wash | Cost: boulders = \$14/ton, aquarium rock = \$20/ton | Burnout Canyon S 14, T22S, R13W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/redwash.htm |
| Red Seeps | Cost: \$5.57/ton, \$10 minimum | Buckhorn Reservoir S 12, T19S, R9 | |
| Red's Canyon | Cost: \$5.57/ton, \$10 minimum | Tomisch Butte S 18&19, T24S, R9E | |

| Pit Name | Cost | 7.5 Topo Map & Section | Photo Website |
|------------------------------|-----------------------------------|-----------------------------------|---|
| Rosebud | Cost:\$15/ton | Emigrant Pass S 23, T 10 N, R16 W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/rosebud.htm |
| Rush Lake | Cost: \$1.80/ton, \$10.80 minimum | Enoch S 17, T34S, R10W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/rushlake.htm |
| San Rafael River | Cost: \$5.57/ton, \$10 minimum | Devils Hole S 19&30, T20S, R12E | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/sanrafaelriver.htm |
| School Bus Corral | Cost: \$1.00/ton | Iron Mine Pass S 5&6, T25S, R12W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/schoolbus.htm |
| Shinarump Pit | Cost: \$8/ton, \$10 minimum | Johnson Lakes S 31, T43S, R4W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/shinarump.htm |
| South of Hurricane Rock Area | Cost: \$12/ton, \$10 min. | The Divide S 22, T43S, R13W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/southhurricane.htm |
| Stansbury Island 28 | Cost:\$15/ton | Corral Canyon S 28, T1N, R6W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/stansburyisland.htm |
| Sulphurdale | Cost: \$1.80/ton, \$10.80 minimum | Cinder Crater S 17, T26S, R7W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/sulphurdale.htm |

| Pit Name | Cost | 7.5 Topo Map & Section | Photo Website |
|---------------------------|---|---|---|
| The Cinders | Cost: \$10/ton | Pahvant Butte South S 3&4, T21S, R6W; S 34 (southernmost 1/8), T20S, R6W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/thecinders.htm |
| The Honeycombs | Cost: boulders = \$14/ton, aquarium rock = \$20/ton | Middle Range North S 6&7, T13S, R15W; S 1 & 12, T13S, R16W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/honeycombs.htm |
| Topaz Mountain | Cost: boulders = \$14/ton, aquarium rock = \$20/ton | Keg Pass & Dugway Pass S19-35 (except 32), T11S, R10W; S1-18 (except 2), T12S, R10W; Dugway Pass, Dugway Range SW, Topaz Mtn W & E, S1-35 (except 2 & 32), T12S, R11W | |
| Topaz Pit | Cost: \$10/ton | Smelter Knolls East S 1, T16S, R9W | |
| Topaz/Drum/Smelter Knolls | Cost: \$20/ton | Topaz Mtn. West, Topaz Mtn. East, Picture Rock Hills, Drum Mtns. Well, Smelter Knolls E, Lady Laird Peak S 1,12&13, T13S, R12W; S 4-9,17&18, T13S, R11W; S 5-8, T14S, R10W; | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/smelterknolls.htm |
| Virgin | Cost: \$12/ton, \$10 min. | Virgin S 29, T41S, R12W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/virgin.htm |

| Pit Name | Cost | 7.5 Topo Map & Section | Photo Website |
|----------------------|--|-----------------------------------|---|
| West Mountain | Cost:\$15/ton | West Mountain S 15, T8S, R1E | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/westmountain.htm |
| West Wrinkles | Cost: \$13/ton | Cowboy Bench S 15&22, T11S, R15E | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/westwrinkles.htm |
| Wheeler Amphitheater | Cost: \$3 reclamation fee, plus \$15/ton | Marjum Pass S 12, T17S, R13W | http://geology.utah.gov/surveynotes/gladasked/landscape_rocks/wheeler.htm |
| Willow Springs | Cost: \$5.57/ton, \$10 minimum | Mussentuchit Flat S 12, T24S, R6E | |